



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/932,029	08/20/2001	Kimikazu Matsumoto	KUW.025	5229

7590 03/30/2004
McGinn & Gibb, PLLC
Suite 200
8321 Old Courthouse Road
Vienna, VA 22182-3817

EXAMINER	
RAO, SHRINIVAS H	
ART UNIT	PAPER NUMBER
2814	

DATE MAILED: 03/30/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/932,029

Applicant(s)

MATSUMOTO, KIMIKAZU

Examiner

Steven H. Rao

Art Unit

2814

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 20 November 2003.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-27 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☐ Claim(s) 1-27 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Priority

Receipt is acknowledged of paper submitted under 35 U.S.C. 119(a)-(d), claiming priority from Japanese Patent Application No. 2000-250902 filed on August 22, 2000 which papers have been placed of record in the file.

Continued Prosecution Application

The request filed on 11/28/2003 for a Request for Continued Examination Application (RCE) under 37 CFR 1.114 based on parent Application No. 09/932,029 is acceptable and a RCE has been established. An action on the RCE follows.

Information Disclosure Statement

Acknowledgment is made of receipt of Applicant's Information Disclosure Statement (PTO-1449) filled .

The references on PTO 1499 submitted on February 11, 2004 are acknowledged. All the cited references have been considered.

However the foreign patents and documents cited by applicant that are not in English language are considered to the extent only that could be understood from the abstract and drawings.

Preliminary Amendment Status

Acknowledgment is made of entry of preliminary (the previously stated as " Amendment After Final under 37 CFR 1.116") amendment filed 09 /22 / 2003 .

Therefore claim 1 and 10, and 19 as amended by the amendment and claims 2-9, 11-18 and 20-27 as previously recited are currently pending in the Application.

Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1 to 27 are rejected under 35 U.S.C. 103(a) as being unpatentable over AAPR (Applicants' Admitted Prior Art, e.g. figs. 1-2 and specification pages at least 3 to 5) and Yamakita et al. (U.S. Published Patent Application No. 2002/0154262, herein after Yamakita). (as the only changes made by the Applicants' after entry of the preliminary amendment is to change " falling" to " selected to be" and as stated in the Advisory Action mailed 1/24/2003, these changes do not narrow/change the scope of the claims , further the recitation "selected to be" is a product by process limitation that cannot be patentable weight below).

With respect to claim 1, AAPR describes an in-plane switching type liquid crystal display unit including: a pair of substrate structures (AAPR figs. 300 and 400) having at

Art Unit: 2814

least plural pixel electrodes (AAPR fig. 1 # 58, specification page 3 line 5 from bottom) and a common electrode on one of the substrate structures thereof (AAPR fig. 1 # 53) and a liquid crystal layer sandwiched between said substrate structures (fig.1 # 70).

AAPR does not specifically describe its liquid crystal layer having a splay elastic coefficient selected to be within a range expressed as $6 \text{ Pico Newton} < \text{said first electric coefficient} < 25 \text{ Pico Newton}$. (i.e. between 6 and 25 pico-newtons) for improving a luminance of said in-plane switching type liquid crystal display unit.

The recitation "selected to be" in claim 1 are taken to be product limitations and non limiting. A product by process claim is directed to the product per se, no matter how actually made, See *In re Fessman*, 180 USPQ 324, 326 (CCPA 1974); *In re Marosi et al.*, 218 USPQ 289, 292 (Fed. Cir. 1983); and particularly *In re Thrope*, 227 USPQ 964, 966 (fed. Cir. 1985) , all of which make it clear that it is the patentability of the final structure of the product" gleaned" from the process steps, which must be determined in a "product by process" claim, not the patentability of the process. See also MPEP 2113. More ever, an old or obvious product produced by a new method is not a patentable product, whether claimed in " product by process" claims or not.

However, Yamakita, in pages 11- 10 right hand column first three lines and last three lines describes liquid crystal layers with Splay elastic constant to be 9 and 12 pN in the overlapping range of 6 to 25 pN for improving a luminance of said in-plane switching type liquid crystal display unit. (Yamakita col. 2 section 0025 lines 3-4, col. 8 sections 0021,0022 and 0133) to form a transparent electrode which allows the

Art Unit: 2814

portions of the light located right above the electrodes to be used as a display portion, thus improving the transmittance.

Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to include Yamakita's liquid crystal layers having a Splay elastic constant to be 9 and 12 pN. In AAPR's device one of ordinary skill in the art would be motivated to make the above substitution to form a transparent electrode which allows the portions of the light located right above the electrodes to be used as a display portion, thus improving the transmittance (Yamakita page 2 last four lines).

With respect to claim 2, wherein the liquid crystal of said crystal layer has a positive anisotropy of dielectric constant. (Yamakita page 11 line 2).

With respect to claim 3, wherein the liquid crystal further has a bend elastic coefficient and a twist elastic coefficient and said splay elastic coefficient, said splay elastic coefficient and said bend elastic coefficient and said twist elastic coefficient satisfy an inequality expressed as $0.5 < ((K_{11} \times K_{33})/K_{22}) < 2.0$, where K_{11} is said first elastic coefficient, K_{33} is said bend elastic coefficient and K_{22} is said twist coefficient. (Yamakita page 10 last line and page 11 first three lines).

With respect to claim 4, wherein the substrate structures are spaced from each other by a distance ranging from 1.0 micron to 6.0 microns. (Yamakita page 7 right hand col. Last 12 lines)

With respect to claim 5, wherein an electric field is created between each of said plural pixel electrode and a part of said common electrode under application of a potential difference there between and each of said plural pixel electrode is spaced

Art Unit: 2814

from and said part of said common electrode in a direction parallel to inner surfaces of said substrate structures by a distance ranging from 2 microns to 15 microns. (Yamakita page 7 right hand col. Last 15 lines).

With respect to claim 6, wherein said substrate structures are spaced from each other by a first distance ranging from 1.0 micron to 6.0 micron, and each of said plural pixel electrodes and an associated part of said common electrode is spaced from each other in a direction parallel to inner surfaces of said substrate structures by a second distance ranging from 2 microns to 15 microns. (Yamakita page 8 last 12 lines).

With respect to claim 7, wherein the plural pixel electrodes parts of said common electrode respectively associated with said plural pixel electrode and pieces of said liquid crystal layer respectively overlapped with combinations of said plural pixel electrodes and said parts from in combination plural pixels arranged in a matrix. (Yamakita fig. 5, page 8, right hand col., lines 7 to 24).

With respect to claim 8, wherein the color filters selectively put in the primary three colors and contained in the plural pixels respectively. (Yamakita page 9, right hand col. Section [0141]).

With respect to claim 9, wherein the plural pixel electrodes and said common electrode are formed on said one of said substrate structures together with data lines and thin film transistors selectively connected between said data lines and said pixel electrodes and said color filters are formed on the other of said substrate structures together with a black matrix. (Yamakita fig. 17 a etc.).

Art Unit: 2814

With respect to claim 10, describes a pair of substrate structures having at least plural pixel electrodes (AAPR figs. 300 and 400) and a common electrode on one of the substrate structures thereof, (AAPR fig. 1 # 58, specification page 3 line 5 from bottom) and a liquid crystal layer(AAPR fig. 1 # 53) sandwiched between said substrate structures (fig.1 # 70) .

AAPR does not specifically describe its liquid crystal layer having a bend elastic coefficient concerning a deformation like a bent line selected to be within the range expressed as $5 \text{ Pico Newton} < \text{said bend electric coefficient} < 20 \text{ Pico Newton}$. (i.e. between 5 and 20 pico-newtons) for improving a luminance of said in-plane switching type liquid crystal display unit.

The recitation “ selected to be” in claim 10 are taken to be product limitations and non limiting. A product by process claim is directed to the product per se, no matter how actually made, See *In re Fessman*, 180 USPQ 324, 326 (CCPA 1974); *In re Marosi et al.*, 218 USPQ 289, 292 (Fed. Cir. 1983); and particularly *In re Thrope*, 227 USPQ 964, 966 (fed. Cir. 1985) , all of which make it clear that it is the patentability of the final structure of the product” gleaned” from the process steps, which must be determined in a “product by process” claim, not the patentability of the process. See also MPEP 2113. Moreover, an old or obvious product produced by a new method is not a patentable product, whether claimed in “ product by process” claims or not.

However, Yamakita, in pages 11- 10 right hand column first three lines and last three lines describes liquid crystal layers with Spray elastic constant to be 18 pN in the overlapping range of 5 to 20 pN for improving a luminance of said in-plane switching

Art Unit: 2814

type liquid crystal display unit (Yamakita col. 2 section 0025 lines 3-4, col. 8 sections 0021,0022 and 0133) to form a transparent electrode which allows the portions of the light located right above the electrodes to be used as a display portion, thus improving the transmittance.

Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to include Yamakita's liquid crystal layers having a bent elastic constant to be 18 pN In AAPR's device one of ordinary skill in the art would be motivated to make the above substitution to form a transparent electrode which allows the portions of the light located right above the electrodes to be used as a display portion, thus improving the transmittance (Yamakita page 2 last four lines).

With respect to claims 11 to 18 repeat the steps of claims 2 to 9 and are rejected for reasons stated under claims 2 to 8 above.

With respect to claim 19, describes an in-plane switching type liquid crystal display unit including a pair of substrate structures (AAPR figs. 300 and 400) having at least plural pixel electrodes and a common electrode on one of the substrate structures thereof (AAPR fig. 1 # 58, specification page 3 line 5 from bottom) and a liquid crystal layer (AAPR fig. 1 # 53) sandwiched between said substrate structures (fig.1 # 70)

AAPR does not specifically describe its liquid crystal layer having a first elastic coefficient and a bend elastic coefficient are selected such that, the square root of the product between the splay elastic coefficient and said bend elastic coefficient fall within the range .

The recitation "arte selected such that" in claim 19 are taken to be product limitations and non limiting. A product by process claim is directed to the product per se, no matter how actually made, See *In re Fessman*, 180 USPQ 324, 326 (CCPA 1974); *In re Marosi et al.*, 218 USPQ 289, 292 (Fed. Cir. 1983); and particularly *In re Thrope*, 227 USPQ 964, 966 (fed. Cir. 1985) , all of which make it clear that it is the patentability of the final structure of the product" gleaned" from the process steps, which must be determined in a "product by process" claim, not the patentability of the process. See also MPEP 2113. More ever, an old or obvious product produced by a new method is not a patentable product, whether claimed in " product by process" claims or not.

However, Yamakita, in pages 11- 10 right hand column first three lines and last three lines describes liquid crystal layers with Splay elastic constant to form a transparent electrode which allows the portions of the light located right above the electrodes to be used as a display portion, thus improving the transmittance.

Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to include Yamakita's liquid crystal layers having a Splay elastic constant in AAPR's device one of ordinary skill in the art would be motivated to make the above substitution to form a transparent electrode which allows the portions of the light located right above the electrodes to be used as a display portion, thus improving the transmittance (Yamakita page 2 last four lines).

The other limitations of claim 19 are : and a bend elastic coefficient concerning a deformation like a bent in, (Yamakita page 10 line1) the square root of the product

Art Unit: 2814

between the splay elastic coefficient and said bend elastic coefficient being fallen within the near expressed as $5 \text{ Pico Newton} < \text{SQRT} < 20 \text{ Pico Newton}$ where SQRT is said square root of the product between said splay elastic coefficient and said bend elastic coefficient. (Yamakita page 10 right hand col. Last 3 lines to left hand col. First two lines) for improving a luminance of said in-plane switching type liquid crystal display unit (Yamakita col. 2 section 0025 lines 3-4, col. 8 sections 0021, 0022 and 0133) .

With respect to claims 20 to 27 repeat the steps of claims 2 to 9 and are rejected for reasons stated under claims 2 to 9 above.

Response to Arguments

Applicant's arguments filed 4/22/03 have been fully considered but they are not persuasive for the following reasons :

Applicant's arguments filed 4/22/03 have been fully considered but they are not persuasive for the reasons set out in the advisory action mailed on November 24, 2003 and the entire contents thereof incorporated here by reference. and further the additional following reasons :

Therefore Yamakita is also directed to the problem of high luminance. Applicants' contention that Yamakita and AAPA allegedly deal with different problems and therefore one of ordinary skill in the art would not have been motivated to combine them is not persuasive because :

(a) Yamakita deals with the problem of high luminance

Yamakita at least in sections 0025, 0121, 0122 and 0133 states :

Art Unit: 2814

a high speed response, and a high image quality such as high luminance without changing a liquid crystal material, reducing cell gap, or increasing a drive voltage, and a fabrication method thereof.

1500 Å. Therefore, to realize improvement of transmittance and high-speed response, the film thickness is preferably set to 1500 Å or larger.

higher speed response is possible. It should be remembered that the film thickness needs to be optimized according to the relationship of tradeoff with reduction of an optical characteristic such as transmittance and light diffusing value due to the increased film thickness.

display regions. Accordingly, the transmittance can be

improved. The electric field strength between the electrodes

and AAPA even according to Applicants' themselves deals with low luminance .

Therefore one of ordinary skill in the art would be motivated to refer and combine other prior art dealing with better luminance (high/low luminance) problems/issues.

(b) Current case law states, " It has been held that the mere fact that the reference relied on by the Patent and Trademark Office fail to evince an appreciation of the problem identified and solved by applicant is not, standing alone, conclusive evidence of the nonobviousness of the claimed subject matter. The references may suggest doing what an applicant has done even though workers in the art were ignorant of the existence of the problem. In re Greshon, 152 602 (CCPA 1967).

© Applicants' arguments are not commensurate in scope with their presently recited claims.

It is well settled law that Applicants' cannot rely on alleged problems that are solved by their invention that are not state in the claims. It is the claims that define the

Art Unit: 2814

claimed invention and it is claims , not specification that are anticipated or unpatentable.

Constant V Advanced Micro-Devices Inc. 7 USPQ 2d 1064.

Applicants' contention that Yamakita has allegedly different goals and therefore Yamakita does not describe relationship between liquid crystal material and a transparent electrode is not persuasive because as previously stated and reproduced below.

Applicants' second contention that Yamakita does not teach any relationship between the use of any liquid crystal material and the ability to use a transparent electrode is not persuasive because in section 0133 states :

and further clarified in para 0133 itself :

region S2 of FIG. 6(b). In this case, since transparent electrodes are used as the electrodes of the present invention, the regions over the electrodes can be used as liquid crystal display regions. Accordingly, the transmittance can be

in other words the materials used to make the electrode determines whether the electrode is transparent or not and the transparency of the electrode allows it (transparent electrodes) to be also used as liquid display regions.

Yamakita at least in sections 0025, 0121, 0122 and 0133 states :

a high speed response, and a high image quality such as high luminance without changing a liquid crystal material, reducing cell gap, or increasing a drive voltage, and a fabrication method thereof.

1500 Å. Therefore, to realize improvement of transmittance and high-speed response, the film thickness is preferably set to 1500 Å or larger.

Art Unit: 2814

higher speed response is possible. It should be remembered that the film thickness needs to be optimized according to the relationship of tradeoff with reduction of an optical characteristic such as transmittance and light diffusing value due to the increased film thickness.

display regions. Accordingly, the transmittance can be

improved. The electric field strength between the electrodes

Therefore Yamakita clearly describes the relationship between the use of any liquid crystal material and the ability to use a transparent electrode.

Applicants' next contention that Yamakita does not teach "reducing the affect on luminance by restricting the splay elastic coefficient or the bend coefficient for the liquid crystals is not persuasive because Yamakita in section 0158 states

difference Δn) is approximately 350 nm. Splay elastic constant of the liquid crystal material of the liquid crystal layer 2 is $k_{11}=12$ (pN), twist elastic constant is $k_{22}=7$ (pN), bend

elastic constant is $K_{33}=18$ (pN), and dielectric constant anisotropy is $\Delta\epsilon=+8$. The dielectric constant anisotropy $\Delta\epsilon$ and the bend elastic constant K_{33} are important factors in determination of the drive voltage of the liquid crystal. It is particularly preferable that the dielectric constant anisotropy $\Delta\epsilon$ is +8 or more and the bend elastic constant K_{33} is 18(pN) or less.

Further paras 1565-168 clearly show the use of cyano-based liquid crystal material with a specific splay elastic constant($K_{11}=9$ PN) and specific elastic twist constant $K_{22}=9$ (pN) provides higher transmittance(i.e. -higher luminance) (reproduced below :

Art Unit: 2814

[0165] FIG. 11 shows a light transmittance characteristic (light transmittance of the panel is calculated from the electric field distribution and liquid crystal director) of a liquid crystal panel having the same electrode constitution and panel configuration as in FIG. 10 and using a fluorine-based liquid crystal material (spray elastic constant K_{11} =

9(pN), twist elastic constant K_{22} =9(pN), bend elastic constant K_{33} =22 (pN), dielectric constant anisotropy $\Delta\epsilon$ =+4.4). The drive voltage is set to 5V as in the case of FIG. 10.

[0166] The results clearly show that the constitution of FIG. 10 using the cyano-based liquid crystal material provides transmittance higher than that of the constitution of FIG. 11 using the fluorine-based liquid crystal material.

[0167] In particular, in the constitution of FIG. 11 using the fluorine-based liquid crystal material, little light is transmitted through the portion over the electrodes, while in the constitution of FIG. 10 using the cyano-based liquid crystal, at least approximately 10-20% light can be transmitted. By using the transparent conductive layer such as ITO or the like as the electrode, the aperture ratio can be greatly increased. Also, the smaller electrode line width provides larger electric field strength and higher transmittance over the electrodes. However, if a vertical electric field has an extremely strong effect, color is greatly changed depending on the viewing angle. Therefore, it is desirable to set the electrode line width to 4 μ m at maximum.

Therefore Yamakita clearly describes reducing the affect on luminance by restricting the splay elastic coefficient or the bend coefficient for the liquid crystals.

Therefore none of the Applicants' contentions are persuasive

Any inquiry concerning this communication or earlier communication from the examiner should be directed to Steven H. Rao whose telephone number is (703) 306-5984. The examiner can normally be reached on Monday- Friday from approximately 7:00 a.m. to 5:30 p.m.

Any inquiry of a general nature or relating to the status of this application should be directed to the Group receptionist whose telephone number is (703) 308-0956. The Group facsimile number is (703) 308-7724.

Application/Control Number: 09/932,029


Page 15

Art Unit: 2814

Steven H. Rao

Patent Examiner

March 24, 2004.



LONG PHAM
PRIMARY EXAMINER